

SELECT ELECTRICAL

ENTERPRISES LTD.

SE200 ARTIFICIAL LIFT CONTROLLER DRIVE



COMPLETE ROD PUMP MANAGEMENT & CONTROL

WWW.SELECTELECTRICALENT.COM

PROUDLY MANUFACTURED IN



SEEL SE200 ALC SPECIFICATIONS

POWER RATING: 1-300HP

POWER SUPPLY: 230/460/600VAC

INPUT: 1 PHASE OR 3 PHASE

AMBIENT TEMP: -40 DEG C TO + 50 DEG C

RELATIVE HUMIDITY: 95%

ENCLOSURE: NEMA 4

MOTOR CONTROL: AUTOMATED ROD PUMP CONTROL VIA


ADVANCED PUMP FILLAGE CONTROL ALGORITHMS

SOFTWARE: BEPOC POC SOFTWARE

CSA / ETL CERTIFICATION (C & US)



SURFACE & DOWNHOLE CARD



WWW.SELECTELECTRICAL.ENT.COM

SEEL SE200 ALC FEATURES

- 7" TOUCHSCREEN COLOR HMI
- ALC INTEGRATED DIRECTLY INTO VFD FOR OPTIMAL CONTROL
- DOWNHOLE OR SURFACE CONTROL
- REAL TIME LOAD AND POSITON MEASUREMENT
- 2 ANALOG INPUTS (SUPPORTS TUBING AND CASING PRESSURE TRANSMITTERS)
- 3 DIGITAL INPUTS FOR CONNECTION OF WELL SHUTDOWNS
- MINIMIZES MECHANICAL STRESS & WEAR ON EQUIPMENT
- REDUCES POWER CONSUMPTION
- PROMOTES EXTENDED PUMP LIFESPAN
- AUTOMATED PUMP OFF CONTROL (SPEED CONTROL & TIMER OPTIONS)
- INTER STROKE SPEED CONTROL
- PEAK LOAD LIMIT SPEED CONTROL
- I/O MONTIORING / TRENDING

